

L Number	Hits	Search Text	DB	Time stamp
-	67950	obscur\$5 OR obfusc\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 14:38
-	677965	(code AND computer) OR software OR (program AND computer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 14:39
-	24255	((code AND computer) OR software OR (program AND computer)) and (obscur\$5 OR obfusc\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 14:39
-	54	713/189.ccls. AND (obscur\$5 OR obfusc\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 15:19
-	17	713/190.CCLS. and (obscur\$5 OR obfusc\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 14:41
-	283	713/200 and (obscur\$5 OR obfusc\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 14:41
-	1080067	(tamper\$4 NEAR resist\$4) OR (reverse engineer\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 15:16
-	8026	((code AND computer) OR software OR (program AND computer)) and (obscur\$5 OR obfusc\$6)) and ((tamper\$4 NEAR resist\$4) OR (reverse engineer\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 15:16
-	3212068	instruction\$1 OR code OR program OR module OR software	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 15:22
-	941	(obscur\$5 OR obfusc\$6) NEAR5 (instruction\$1 OR code OR program OR module OR software)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 16:53
-	725	((obscur\$5 OR obfusc\$6) NEAR5 (instruction\$1 OR code OR program OR module OR software)) and ((code AND computer) OR software OR (program AND computer))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 15:25
-	270	((obscur\$5 OR obfusc\$6) NEAR5 (instruction\$1 OR code OR program OR module OR software)) and ((code AND computer) OR software OR (program AND computer))) and ((tamper\$4 NEAR resist\$4) OR (reverse engineer\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 15:26
-	2	5748741.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 16:18

-	2	5,123,045.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 16:18
-	213	((@ad<=20000420) OR (@prad<=20000420) OR (@ptad<=20000420) OR (@frpd<=20000420)) and (713/200 and (obscur\$5 OR obfusc\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 11:58
-	28	((@ad<=20000420) OR (@prad<=20000420) OR (@ptad<=20000420) OR (@frpd<=20000420)) and (713/189.ccls. AND (obscur\$5 OR obfusc\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 11:58
-	15	((@ad<=20000420) OR (@prad<=20000420) OR (@ptad<=20000420) OR (@frpd<=20000420)) and (713/190.CCLS. and (obscur\$5 OR obfusc\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 12:00
-	9	chain\$2 ADJ block\$2 ADJ encrypt\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 12:44
-	2	Ciphering ADJ Block ADJ Chaining	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 13:06
-	43	(Block\$2 NEAR Chain\$3) ADJ encrypt\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 13:07
-	24	((Block\$2 NEAR Chain\$3) ADJ encrypt\$4) AND ((@ad<=20000420) OR (@prad<=20000420) OR (@ptad<=20000420) OR (@frpd<=20000420))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 13:08
-	78	transform\$6 SAME ((generat\$3 ADJ instruction\$1) OR (generate\$3 ADJ second ADJ (code OR number)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 13:50
-	62	(transform\$6 SAME ((generat\$3 ADJ instruction\$1) OR (generate\$3 ADJ second ADJ (code OR number)))) AND ((@ad<=20000420) OR (@prad<=20000420) OR (@ptad<=20000420) OR (@frpd<=20000420))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 16:17
-	14	((transform\$6 SAME ((generat\$3 ADJ instruction\$1) OR (generate\$3 ADJ second ADJ (code OR number)))) AND ((@ad<=20000420) OR (@prad<=20000420) OR (@ptad<=20000420) OR (@frpd<=20000420))) AND compress\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 16:18
-	1411716	compress\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 09:41
-	22164050	((@ad<=20000420) OR (@prad<=20000420) OR (@ptad<=20000420) OR (@frpd<=20000420))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 09:44
-	198688	transformation\$1 OR "record of transformation"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 09:44

-	432	713/189.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 09:45
-	3381	713/200	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 09:45
-	142	713/190.CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 09:45
-	9577	712/\$.CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 09:45
-	0	(713/190.CCLS. OR 713/189.ccls.) AND ((@ad<=20000420) OR (@prad<=20000420) OR (@ptad<=20000420) OR (@frpd<=20000420)) AND (compress\$4 NEAR (transformation\$1 OR "record of transformation"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 09:51
-	1093259	instruction\$1 OR rule\$1 OR record!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 09:50
-	0	(713/190.CCLS. OR 713/189.ccls.) AND ((@ad<=20000420) OR (@prad<=20000420) OR (@ptad<=20000420) OR (@frpd<=20000420)) AND (compress\$4 NEAR ((transformation\$1 OR "record of transformation") OR (instruction\$1 OR rule\$1 OR record!)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 09:51
-	1	(713/190.CCLS. OR 713/189.ccls.) AND ((@ad<=20000420) OR (@prad<=20000420) OR (@ptad<=20000420) OR (@frpd<=20000420)) AND (compress\$4 NEAR2 (transformation\$1 OR "record of transformation"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 10:17
-	15	(713/190.CCLS. OR 713/189.ccls. OR 712/\$.CCLS. OR 713/200) AND ((@ad<=20000420) OR (@prad<=20000420) OR (@ptad<=20000420) OR (@frpd<=20000420)) AND (compress\$4 NEAR2 (transformation\$1 OR "record of transformation"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 10:59
-	133	((713/190.CCLS. OR 713/189.ccls. OR 712/\$.CCLS. OR 713/200) AND ((@ad<=20000420) OR (@prad<=20000420) OR (@ptad<=20000420) OR (@frpd<=20000420)) AND (compress\$4 NEAR2 ((transformation\$1 OR "record of transformation") OR (instruction\$1 OR rule\$1 OR record!)))) NOT ((713/190.CCLS. OR 713/189.ccls. OR 712/\$.CCLS. OR 713/200) AND ((@ad<=20000420) OR (@prad<=20000420) OR (@ptad<=20000420) OR (@frpd<=20000420)) AND (compress\$4 NEAR2 (transformation\$1 OR "record of transformation")))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 11:01

-	3	((713/190.CCLS. OR 713/189.ccls.) AND ((@ad<=20000420) OR (@prad<=20000420) OR (@ptad<=20000420) OR (@frpd<=20000420)) AND (compress\$4 NEAR2 ((transformation\$1 OR "record of transformation") OR (instruction\$1 OR rule\$1 OR record!)))) NOT ((713/190.CCLS. OR 713/189.ccls. OR 712/\$.CCLS. OR 713/200) AND ((@ad<=20000420) OR (@prad<=20000420) OR (@ptad<=20000420) OR (@frpd<=20000420)) AND (compress\$4 NEAR2 (transformation\$1 OR "record of transformation")))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 11:02
---	---	---	---	---------------------